


ROUND LED



IP42



	Α	В	
6W	120	13	105
12W	170	13	155
18W	225	13	210
24\ <i>M</i>	300	1.3	285

Referência	Código	W	K	Lm	Qt. Cx.	
2820750006	01.002.001.001.00120	6	3000	420	20	_
2820750007	01.002.001.001.00114	12	3000	840	20	
2820750008	01.002.001.001.00117	18	3000	1260	20	
	01.002.001.001.00270	24	3000	1680	10	
2820750001	01.002.001.001.00119	6	4200	420	20	
2820750002	01.002.001.001.00113	12	4200	840	20	
2820750003	01.002.001.001.00116	18	4200	1260	20	
	01.002.001.001.00271	24	4200	1680	10	
2820750015	01.002.001.001.00121	6	6500	420	20	
2820750016	01.002.001.001.00115	12	6500	840	20	
2820750017	01.002.001.001.00118	18	6500	1260	20	
	01.002.001.001.00272	24	6500	1680	10	

Obs: Para outras versões não standards como por exemplo: Regulação de fluxo | 0-10V | 1-10V | DALI-PUSH | Kit Emergência, consulte pf. o nosso departamento comercial


















ROUND LED SQUARE LED


SURFACE ROUND LED


SURFACE SQUARE LED



SQUARE LED







	Α	В	
6W	110	13	110x110
12W	170	13	155x155
18W	225	13	210x210
24W	300	13	285x285
		dim	anaãaa am mm

Referência	Código	W	K	Lm	Qt. Cx.	
2820750011	01.002.001.001.00135	6	3000	420	20	
2820750009	01.002.001.001.00130	12	3000	840	20	
2820750010	01.002.001.001.00133	18	3000	1260	20	
	01.002.001.001.00273	24	3000	1680	10	
2820750012	01.002.001.001.00136	6	4200	420	20	
2820750004	01.002.001.001.00129	12	4200	840	20	
2820750005	01.002.001.001.00132	18	4200	1260	20	
	01.002.001.001.00274	24	4200	1680	10	
2820750018	01.002.001.001.00137	6	6500	420	20	
2820750019	01.002.001.001.00131	12	6500	840	20	
2820750020	01.002.001.001.00134	18	6500	1260	20	
	01.002.001.001.00275	24	6500	1680	10	

Obs: Para outras versões não standards como por exemplo: Regulação de fluxo | 0-10V | 1-10V | DALI-PUSH | Kit Emergência, consulte pf. o nosso departamento comercial















ROUND LED SQUARE LED

SURFACE ROUND LED

SURFACE SQUARE LED




SURFACE ROUND LED




12W | 840lm

18W | 1260lm

24W | 1680lm





	٨	В
	A	В
12W	170	38
18W	225	38
24W	300	38

Referência	Código	W	K	Lm	Qt. Cx.	
2820750031	01.002.001.002.00018	12	4000	840	20	
2820750032	01.002.001.002.00021	18	4000	1260	20	
	01.002.001.002.00153	24	4000	1680	10	
2820750027	01.002.001.002.00019	12	6500	840	20	
2820750028	01.002.001.002.00020	18	6500	1260	20	
	01.002.001.002.00154	24	6500	1680	10	

Obs: Para outras versões não standards como por exemplo: Regulação de fluxo | 0-10V | 1-10V | DALI-PUSH | Kit Emergência, consulte pf. o nosso departamento comercial

















ROUND LED

SQUARE LED

SURFACE ROUND LED

SURFACE SQUARE LED




SURFACE SQUARE LED




12W | 840lm

18W | 1260lm

24W | 1680lm





	Α	В
12W	170x170	38
18W	225x225	38
24W	300x300	38

Referência	Código	W	K	Lm	Qt. Cx.	
2820750033	01.002.001.002.00024	12	4000	840	20	
2820750034	01.002.001.002.00025	18	4000	1260	20	
	01.002.001.002.00155	24	4000	1680	10	
2820750029	01.002.001.002.00022	12	6500	840	20	
2820750030	01.002.001.002.00023	18	6500	1260	20	
	01.002.001.002.00156	24	6500	1680	10	

Obs: Para outras versões não standards como por exemplo: Regulação de fluxo | 0-10V | 1-10V | DALI-PUSH | Kit Emergência, consulte pf. o nosso departamento comercial

















ROUND LED SQUARE LED SURFACE ROUND LED

SURFACE SQUARE LED