






Dimensões | Dimensions | Dimensiones | Dimensiones





FLEXISTRIP


23W WW 1625Lm/mt
23W NW 1735Lm/mt



WW : Branco Quente | Warm White
NW : Branco Neutro | Neutral White



Especificações | Specifications | Spécifications | Especificaciones



-20°C...+40°C

R≥50mm

A/mt 1,2A

ØZ = 3

8,33mm

50...50mm (6 LED's)

9448A Fita Adesiva Dupla Face | Adhesive Double Sided Tape

Standards

EN 55015 : 2013
EN 61547 : 2009
2014/30/UE
2011/65/UE

Ver página | See page | Voir page | Ver página 40

CE RoHS



1431000010
1431000011

FLEXISTRIP (23W 3000K WW 120LED = 1625Lm/mt)
FLEXISTRIP (23W 4000K NW 120LED = 1735Lm/mt)




Accessórios | Accessories

Controladores | Controllers



1430560001
Controlador Dimmer (Comando Remoto + Receptor)
Dimmer Controller (Remote Control + Receiver)

Conectores | Connectors (120Led/Mt)



1430490007
União linear
Linear Connector
2 Contactos (10mm)

1431240007
Conector c/cabo ligação
Supply Connector
2 Contactos (10mm)

1430810007
Extensão 15cm
Cable Connector
2 Contactos (10mm)

Fontes de Alimentação | Power Supply



24V DC (LRS)
35/75/100/150W


24V DC (RSP)
200/320W



24V DC (DR)
30/60/100W

24V DC (NDR)
240W



Dimensões | Dimensions | Dimensiones | Dimensiones





FLEXISTRIP

14,4W WW 990Lm/mt


14,4W NW 1050Lm/mt



WW : Branco Quente | Warm White
NW : Branco Neutro | Neutral White

2835 LED

Especificações | Specifications | Spécifications | Especificaciones



-20°C...+40°C

R≥50mm

A/mt 0,58A

OZ = 3

16,67mm

100...100mm [6 LED's]

3M 9448A Fita Adesiva Dupla Face | Adhesive Double Sided Tape

Standards

EN 55015 : 2013
EN 61547 : 2009
2014/30/UE
2011/65/UE

Ver página | See page | Voir page | Ver página 40

CE RoHS

1431000006
1431000007

FLEXISTRIP (14,4W 3000K 60LED = 990L/mt)
FLEXISTRIP (14,4W 4000K 60LED = 1050L/mt)




Accessórios | Accessories

Controladores | Controllers



1430560001
Controlador Dimmer (Comando Remoto + Receptor)
Dimmer Controller (Remote Control + Receiver)

Conectores | Connectors (60Led/Mt)



1430490002
União linear
Linear Connector
2 Contactos (10mm)

1431240002
Conector c/cabo ligação
Supply Connector
2 Contactos (10mm)

1430810004
Extensão 15cm
Cable Connector
2 Contactos (10mm)

Fontes de Alimentação | Power Supply



24V DC [LRS]
35/75/100/150W



24V DC [RSP]
200/320W




24V DC [DR]
30/60/100W




24V DC [NDR]
240W



Dimensões | Dimensions | Dimensiones | Dimensiones





FLEXISTRIP


9,6W WW 740Lm/mt
9,6W CW 768Lm/mt



WW : Branco Quente | Warm White
NW : Branco Neutro | Neutral White



Especificações | Specifications | Spécifications | Especificaciones



-20°C...+40°C

R≥50mm

A/mt 0,36A

OZ = 3

8,33mm

50...50mm (6 LED's)

9448A Fita Adesiva Dupla Face | Adhesive Double Sided Tape

Standards

EN 55015 : 2013
EN 61547 : 2009
2014/30/UE
2011/65/UE

Ver página | See page | Voir page | Ver página 40



1431000008 FLEXISTRIP (9,6W 3000K 120LED = 740Lm/mt)
1431000009 FLEXISTRIP (9,6W 4000K 120LED = 768Lm/mt)



Acessórios | Accessories

Controladores | Controllers



1430560001
Controlador Dimmer (Comando Remoto + Receptor)
Dimmer Controller (Remote Control + Receiver)

Conectores | Connectors (120Led/Mt)



1430490006
União linear
Linear Connector
2 Contactos (8mm)



1431240006
Conector c/cabo ligação
Supply Connector
2 Contactos (8mm)



1430810006
Extensão 15cm
Cable Connector
2 Contactos (8mm)

Fontes de Alimentação | Power Supply



24V DC (LRS)
35/75/100/150W



24V DC (RSP)
200/320W




24V DC (DR)
30/60/100W




24V DC (NDR)
240W



Dimensões | Dimensions | Dimensiones | Dimensiones





FLEXISTRIP


4,8W WW 360Lm/mt
4,8W CW 390Lm/mt



WW : Branco Quente | Warm White
NW : Branco Neutro | Neutral White



Especificações | Specifications | Spécifications | Especificaciones



Standards

EN 55015 : 2013
EN 61547 : 2009
2014/30/UE
2011/65/UE



1431000004
1431000005

FLEXISTRIP (4,8W 3000K 60LED = 360Lm/mt)
FLEXISTRIP (4,8W 4000K 60LED = 390Lm/mt)



Accessórios | Accessories

Controladores | Controllers



1430560001
Controlador Dimmer (Comando Remoto + Receptor)
Dimmer Controller (Remote Control + Receiver)

Conectores | Connectors (60Led/Mt)



1430490001
União linear
Linear Connector
2 Contactos (8mm)



1431240001
Conector c/cabo ligação
Supply Connector
2 Contactos (8mm)



1430810003
Extensão 15cm
Cable Connector
2 Contactos (8mm)

Fontes de Alimentação | Power Supply



24V DC (LRS)
35/75/100/150W



24V DC (RSP)
200/320W



24V DC (DR)
30/60/100W



24V DC (NDR)
240W