



MR16 12V



CODE	WATT (W)	BASE	COLOUR Temp(K)	CRI (Ra)	ANGLE (°)	LUMEN (Lm)	VOLT (Vac/dc)	PF (µF)	FINISH	CLASS	LIFESPAN (h)	DIMENSION		PACKING QTY		
												Ø(mm)	H(mm)	Ind.	Int.	Ext.
0931600080CB	20	GU5.3	2.900	100	38	210	12	1	Dichroic	C	2.000	50	50	1	20	200
0931600081CB	35	GU5.3	2.900	100	38	350	12	1	Dichroic	C	2.000	50	50	1	20	200
0931600082CB	50	GU5.3	2.900	100	38	600	12	1	Dichroic	C	2.000	50	50	1	20	200
0931600073	75	GU5.3	2.900	100	38	900	12	1	Dichroic	C	2.000	50	50	1	20	200

MR16 230V



12

CODE	WATT (W)	BASE	COLOUR Temp(K)	CRI (Ra)	ANGLE (°)	LUMEN (Lm)	VOLT (V)	PF (µF)	FINISH	CLASS	LIFESPAN (h)	DIMENSION		PACKING QTY		
												Ø(mm)	H(mm)	Ind.	Int.	Ext.
0931600085CB	20	GU5.3	2.900	100	38	210	230	1	Dichroic	C	2.000	50	50	1	20	200
0931600096CB	35	GU5.3	2.900	100	38	350	230	1	Dichroic	C	2.000	50	50	1	20	200
0931600086CB	50	GU5.3	2.900	100	38	600	230	1	Dichroic	C	2.000	50	50	1	20	200

HAL

